

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

CLORIOUS 2 CARE

Version 9.0 Print Date 2016/08/22

Revision date / valid from 2016/08/22 MSDS code: MAAF548

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : CLORIOUS 2 CARE Substance name : chlorine dioxide... % Index-No. : 017-026-01-0

Index-No. : 017-026-01-CAS-No. : 10049-04-4 EC-No. : 233-162-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the : Biocidal product

Substance/Mixture

Uses advised against

: At this moment we have not identified any uses advised

against

1.3. Details of the supplier of the safety data sheet

Company : GPC Clear Solutions Limited

Unit 57 Riverside Estate, Sir Thomas Longley Road,

Medway City Estate, Rochester, Kent ME2 4DP

Telephone (01634) 326920 Telefax (01634) 570469 E-mail address

sales@gpcclearsolutions.co.uk

1.4. Emergency telephone number

Emergency telephone : Emergency only telephone number (open 24 hours):

number +44 (0) 1865 407333 (N.C.E.C. Culham)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

REGULATION (EC) No 1272/2008			
Hazard class	Hazard category	Target Organs	Hazard statements
Corrosive to metals	Category 1		H290
Acute toxicity (Oral)	Category 3	1222	H301

Eye irritation	Category 2	 H319
Lycumuda	outegory 2	11010

For the full text of the H-Statements mentioned in this Section, see Section 16.

Most important adverse effects

Human Health : Over the solution there is a gas phase that might contain a

chlorine dioxide concentration depending on vapor pressure. Chlorine dioxide gas is very toxic when inhaled and an environmental hazard. It causes extensive damage to the lungs if inhaled! Highly toxic vapours are formed when the solution is sprayed or in the event of leaks. When handling the

gas, it is imperative to observe the notes in section 7.

Physical and chemical

hazards

See section 9 for physicochemical information.

Potential environmental effects

See section 12 for environmental information.

2.2. Label elements

Hazard symbols

Labelling according to Regulation (EC) No 1272/2008

Labeling according to regulation (20) no 12/2/200

(E)



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

Precautionary statements

Prevention : P260 Do not breathe gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ eye protection/ face

protection.

P273 Avoid release to the environment.

Response : P330 Rinse mouth.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact

lenses, if present and easy to do. Continue

rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P301 + P310 IF SWALLOWED: Immediately call a

POISON CENTER/doctor.

Disposal : P501 Dispose of contents/ container in

accordance with the

local/regional/international regulations.

Additional Labelling:

Be careful when opening! Do not breathe vapors.
Use biocides safely. Always read the label and product information before use.

Hazardous components which must be listed on the label:

· chlorine dioxide... %

2.3. Other hazards

For Results of PBT and vPvB assessment see section 12.5.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical nature : Aqueous solution

				ification EC) No 1272/2008)
Haz	ardous components	Amount [%]	Hazard class / Hazard category	Hazard statements
chlorine dio	xide %	***	<i>x</i> -	.00 .
Index-No. CAS-No. EC-No.	: 017-026-01-0 : 10049-04-4 : 233-162-8	> 0.3 - < 0.8	Met. Corr.1 Acute Tox.3 Skin Corr.1B Aquatic Acute1 STOT SE3	H290 H301 H314 H400 H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Non-hazardous component

Chemical name		Identification Number	Amount [%]
Sodium sulphate	CAS-No. EC-No.	: 7757-82-6 231-820-9	> 4 - < 5

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : First aider needs to protect himself. Remove from exposure, lie

down. Take off all contaminated clothing immediately. Wash

contaminated clothing before re-use.

If inhaled : Move to fresh air. If breathing is difficult, give oxygen. If

breathing has stopped, apply artificial respiration. If unconscious place in recovery position. Symptoms may be

delayed. Call a physician immediately.

In case of skin contact : If on skin, rinse well with water. Consult a physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Protect unharmed eye. Consult an eye specialist immediately. Go to an ophthalmic hospital if possible.

If swallowed : Rinse the mouth and spit the fluids out. Do NOT induce

vomiting. Risk of aspiration! Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms : Lung irritation, Irritation of respiratory system. Shortness of

breath, Cough, Headache, Nausea, Vomiting, Severe eye

irritation, Lachrymation, running nose, Erythema

Effects : This product causes extensive damage to the lungs if inhaled!

4.3. Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically. In case of lung irritation, first treatment

with dexametason aerosol (spray).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Dry powder, Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Risk of violent reaction. Vapours are heavier than air and may spread along floors. Heating or fire can release toxic gas.

Substances mentioned below can be released if the product is involved in a fire: chlorine dioxide, Chlorine, hydrogen

chloride, Oxygen

5.3. Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing

apparatus. Complete suit protecting against chemicalsIn the

event of fire and/or explosion do not breathe fumes.

Further advice : Heating will cause a pressure rise - with risk of bursting.Cool

closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

: Provide adequate ventilation. Wear personal protective equipment. Keep away unprotected persons. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind. Avoid contact with skin and eyes. Do not breathe gas/fumes/vapour/spray.

6.2. Environmental precautions

Environmental precautions

: Do not allow uncontrolled discharge of product into the environment. Local authorities should be advised if significant

spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

containment and cleaning

up

Methods and materials for : Ventilate the area. The gas phase is highly reactive. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Keep in suitable, closed containers for disposal. Treat recovered material as described in the section "Disposal considerations". Never return unused material to

storage receptacle.

Further information : Reduce with sodium sulphite or sodium bisulphite solution.

6.4. Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on personal protective equipment.

See Section 13 for waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

: Use only with adequate ventilation (e.g. ventilation, exhaust equipment) and in closed systems. Do not breathe vapours. Use respirator with appropriate filter if vapours or aerosol are released. Avoid contact with eyes. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity.

Hygiene measures

: Take off all contaminated clothing immediately. Wash contaminated clothing before re-use. Do not breathe gas/fumes/vapour/spray. Avoid contact with the skin and the eyes. Keep away from food, drink and animal feedingstuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

areas and containers

Requirements for storage : Store in a place accessible by authorized persons only. Keep only in the original container. Suitable materials for containers: HDPE fluorinated, stabilized; glass; ceramics; As the density of the product is higher than that of air, there must be no lower areas (ditches, cellar rooms or similar) in the direct vicinity.

Unsuitable materials for containers: Metals

Advice on protection against fire and explosion : The product is not flammable. Normal measures for preventive

fire protection.

Fire-fighting class : strong oxydativ material

Further information on storage conditions

: Protect against light. Keep tightly closed in a dry and cool place. Keep away from heat. Protect from contamination. Keep in a well-ventilated place. The product should be stored in collecting containers. Ideally, provision of mechanical and

monitored ventilation system.

Advice on common

storage

: Materials to avoid: Reducing agents Acids Metals organic

materials Keep away from combustible material.

Storage temperature : 0 - 50 °C

7.3. Specific end use(s)

Specific use(s) : Biocidal product

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Component:	chlorine dioxide %	CAS-No. 10049-04-4
	Other Occupational Exposure Limit	Values

UK. EH40 Workplace Exposure Limits (WELs), Short Term Exposure Limit (STEL): 0.3 ppm, 0.84 mg/m3

UK. EH40 Workplace Exposure Limits (WELs), Time Weighted Average (TWA): 0.1 ppm, 0.28 mg/m3

ELV (IE), Time Weighted Average (TWA): 0.1 ppm, 0.3 mg/m3

ELV (IE), Short Term Exposure Limit (STEL): 0.3 ppm, 0.9 mg/m3

8.2. Exposure controls

Appropriate engineering controls

Refer to protective measures listed in sections 7 and 8.

Personal protective equipment

Respiratory protection

Advice : Use respirator with appropriate filter if vapours or aerosol are

released.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Recommended Filter type: Combination filter:B-P2

Hand protection

Advice : Wear suitable gloves.

Take note of the information given by the producer concerning permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

The following materials are suitable:

PVC

Nitrile rubber

Protective gloves should be replaced at first signs of wear.

Eye protection

Advice : Tightly fitting safety goggles

Skin and body protection

Advice : Protective work clothing

Environmental exposure controls

General advice : Do not allow uncontrolled discharge of product into the

environment.

Local authorities should be advised if significant spillages cannot

be contained.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form : liquid

Colour : yellow

Odour : of

Chlorine

Odour Threshold : no data available

pH : 2.1 - 3.5 (20 °C)

Melting point/range : no data available

Boiling point/boiling range : ca. 100 °C

Flash point : Not applicable

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : 67 hPa (20 °C)

Relative vapour density : no data available

Density : ca. 1.01 g/cm3 (20 °C)

Water solubility : completely miscible

Partition coefficient: n-octanol/water : no data available

Auto-ignition temperature : no data available

Thermal decomposition : no data available

Viscosity, kinematic : not determined

Explosivity : Under the stated storage conditions, no explosive

air/vapour mixtures are formed.

Oxidizing properties : Oxidizing agents

9.2. Other information

Corrosion to metals : Corrosive to metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Advice : No information available.

10.2. Chemical stability

Advice : Decomposes on exposure to light.

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : The gas phase is highly reactive. Corrosive in contact with

metals

10.4. Conditions to avoid

Conditions to avoid : Exposure to light. Direct sources of heat.

Thermal decomposition : no data available

10.5. Incompatible materials

Materials to avoid : Organic materials, flammable substances, Reducing agents,

Impurities, Metals, Acids

10.6. Hazardous decomposition products

Hazardous decomposition : chlorine oxides, hydrogen chloride, Chlorine, Oxygen

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	Acute toxicity
	Oral
LD50 Oral	 > 50 - 300 mg/kg (Test substance: 0.6 % solution of chlorine dioxide) Manufacturer's test
	Inhalation
	no data available
	Dermal
	no data available
	Irritation
	Skin
Result	: no data available
	Eyes
Result	: Irritating to eyes.

Sensitisation

Result : Does not cause skin sensitisation. (Maximisation Test; Guinea pig)

CMR effects

CMR Properties

Carcinogenicity : Not classifiable as a human carcinogen.

Mutagenicity : Not classified due to inconclusive data.

Teratogenicity : Based on available data, the classification criteria are not met.

Reproductive toxicity : Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity

Single exposure

Remark : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

Repeated exposure

Remark : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Other toxic properties

Aspiration hazard

No aspiration toxicity classification,

SECTION 12: Ecological information

12.1. Toxicity

Component:		chlorine dioxide %	CAS-No. 10049-04-4
		Acute toxicity	*
		Fish	
LC50	3	0.021 mg/l (Danio rerio (zebra fish Directive 67/548/EEC, Annex V, C	
	Toxicit	y to daphnia and other aquatic in	vertebrates

EC50	: 0.063 mg/l (Daphnia magna (Water flea); 48 h) (Directive 67/548/EEC, Annex V, C.2.)
EC50	: 0.076 mg/l (Daphnia magna (Water flea); 24 h) (Directive 67/548/EEC, Annex V, C.2.)
	algae
EC50	 1.096 mg/l (Pseudokirchneriella subcapitata (green algae); 72 h) (static test; End point: Growth rate; Directive 67/548/EEC, Annex V, C.3.)
EC50	 0.324 mg/l (Pseudokirchneriella subcapitata (green algae); 72 h) (static test; End point: Biomass; Directive 67/548/EEC, Annex V, C.3.)
NOEC	 0.02 mg/l (Pseudokirchneriella subcapitata (green algae); 72 h) (static test; End point: Growth rate; Directive 67/548/EEC, Annex V, C.3.)
NOEC	 0.02 mg/l (Pseudokirchneriella subcapitata (green algae); 72 h) (static test; End point: Biomass; Directive 67/548/EEC, Annex V, C.3.)
	Chronic toxicity
	Fish
NOEC	 >= 500 mg/l (Danio rerio (zebra fish); 36 d) (flow-through test; OECD Test Guideline 210)
	Aquatic invertebrates
NOEC	 >= 500 mg/l (Daphnia magna (Water flea); 21 d) (semi-static test; End point: Reproduction; OECD Test Guideline 211)
	M-Factor
M-Factor (Acute	: 10

12.2. Persistence and degradability

Aquat. Tox.)

Component:	chlorine dioxide %	CAS-No. 10049-04-4	
Persistence and degradability			
	Persistence		
Result		aqueous systems very quickly with other esses with organic materials and	

oxidisable metals mainly chlorites, chlorates and chlorides are formed.

Biodegradability

Result : The methods for determining the biological degradability are not

applicable to inorganic substances.

12.3. Bioaccumulative potential

Component:	chlorine dioxide %	CAS-No. 10049-04-4
	Bioaccumulation	**

Result : Bioaccumulation is not expected.

12.4. Mobility in soil

Component:	chlorine dioxide %	CAS-No. 10049-04-4
*	Mobility	*

: no data available

12.5. Results of PBT and vPvB assessment

Data for the pro	oduct	
	Results of PBT and vPvB assessment	
Result		

Result : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

Component:	chlorine dioxide %	CAS-No. 10049-04-4	
	Results of PBT and vPvB assessment		

Result : The PBT or vPvB criteria of Annex XIII to the REACH Regulation

does not apply to inorganic substances.

12.6. Other adverse effects

Data for the product		
tional ecological information		
ik		

no data available Result

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special

disposal required according to local regulations. Reduce with

sodium sulphite or sodium bisulphite.

Contaminated packaging Empty remaining contents. Return contaminated packaging to

supplier.

European Waste Catalogue Number No waste code according to the European Waste Catalogue can be assigned for this product, as the intended use dictates

the assignment. The waste code is established in consultation

with the regional waste disposer.

SECTION 14: Transport information

14.1. UN number

3289

14.2. UN proper shipping name

ADR : TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.

(Chlorine dioxide)

RID : TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.

(Chlorine dioxide)

IMDG : TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.

(Chlorine dioxide)

14.3. Transport hazard class(es)

ADR-Class : 6.1

(Labels; Classification Code; Hazard 6.1, 8; TC3; 668; (C/E)

identification No; Tunnel restriction code)

RID-Class : 6.1 6.1, 8; TC3; 668

(Labels; Classification Code; Hazard

identification No)

IMDG-Class : 6.1

(Labels; EmS) 6.1, 8; F-A, S-B

14.4. Packaging group

ADR : 1 RID : 1 IMDG : 1

14.5. Environmental hazards

Environmentally hazardous according to ADR : no Environmentally hazardous according to RID : no Marine Pollutant according to IMDG-Code : no

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IMDG : Not applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU. Regulation No 1451/2007 [Biocides], Annex I, OJ (L 325)		hlorine dioxide %	CAS-No. 10049-04-4
		EC Number: , 233-162-8; Listed	
UK. Releases to air and water (UK ISR)	:	Annual reporting level threshold: 1	0,000 kg

15.2. Chemical safety assessment

The chemical safety assessment will be performed at a later time.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.	
H301	Toxic if swallowed.	
H314	Causes severe skin burns and eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	

Further information

Key literature references : and sources for data

Supplier information and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were

used to create this safety data sheet.

Other information

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

|| Indicates updated section.